

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM  
**LISTING SERVICE**



**LISTING No.** 4175-1321:100

Page 1 of 1

**CATEGORY:** Roof Coverings (Miscellaneous)

**LISTEE:** SWD Urethane, 222 S. Date Street, Mesa, AZ 85210  
Contact: Ron Whipple \*(480) 969-8413 FAX \*(480) 461-6926

**DESIGN:** Model \*SWD125 spray-applied 2- component (A & B) plastic insulation with elastomeric top coating SWD1929F \*\*Kool-Kote". Foam insulation must be used as described in UL Directory, reference R9303. Other manufacturer's top coating may be used where specified in UL Directory, reference R9303. Refer to listee's data sheet for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, product designation and UL label.

**APPROVAL:** Listed a Class A or B roof covering \*depending upon substrate and total roof assembly. When these assemblies are used for maintenance and repair, the fire retardant classifications of the existing roof system shall not be declassified or lowered, provided the installation complies with the listee's specifications.

\*Rev. 11-09-2005 jw



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 28, 2008**

*Listing Expires **June 30, 2009***

Authorized By: **BEN HO, Chief**  
*Fire Engineering Division*